

OPTIVAUX6-V8


Vauxhall speaker upgrade kit




SPECIFICATION

Configuration	2-way component
Speaker Size	6.5" (165mm)
Peak/RMS Power	270W/90W
Sensitivity	94dB
Frequency Response	54Hz - 25kHz
Impedance	4Ω
Mounting Depth	2.4" (61mm)
Mounting Diameter	5.6" (142mm)
Recommended Amp	POWERBOX65.4M-V7

OPTISOUND
VEHICLE SPECIFIC AUDIO UPGRADES
High Efficiency OEM Speaker System




- Remove vehicle door card carefully, please ensure that all screws and clips are correctly removed and retained
- It is recommended that a set of good quality plastic trim removal tools are used in order to prevent damage to the door card that can be caused by using improper tools such as a large flat head screwdriver.
- Recommended VIBE trim removal set CLTRT-V7. Contact your authorised VIBE for more information.



- Unplug factory speaker cabling.
- remove factory speaker and housing from door / door card making sure to retain all fixing hardware.


• **Note :** It may be necessary to drill out rivets in order to remove the factory speaker, please take care when using power tools so as not to damage the vehicle and ensure protective eyewear is worn.



- Apply the Anti-Vibe sound deadening material to the outer door skin directly behind where the speaker is to be mounted.
- Please ensure that the area is clean and free from grease before application and applied with a hard roller and heatgun / hair drier in order to achieve the best adhesion.


• Recommended VIBE dampening roller CLDR-V7. Contact your authorised VIBE for more information.

- Apply the disc of VIBE wave diffuser over the top of the sound deadening material.




- Attach the vehicle specific adaptor ring to the door / door card.


Note : No screws or fixings are supplied for the adaptor ring as every vehicle will require different mounting hardware and in most cases will require the factory speaker fixings to be used.



- Insert the adjustable silicone speaker baffle into the adaptor ring.
- Attach the speaker wiring loom adaptor to the vehicle speaker wiring ensuring correct polarity is observed and attach to the speaker terminals.
- Fit the OPTI6C speaker into the silicone speaker baffle and align the screw holes before securing with the supplied screws.



- Install the tweeter into a suitable location in the vehicle, in most cases the location of the factory installed tweeter can be utilised.
- **Note :** Methods of fitting the tweeter will vary from vehicle to vehicle and may require the tweeter to be hot glued into place.



- Refit the vehicle door card.

Tools required

- Screwdrivers
- Torx drivers
- Battery drill driver
- Safety glasses
- Trim removal tools
- Heat gun / hair drier
- Dampening roller
- Screws / bolts / fixings for speaker adaptor ring and tweeter.
- Hot glue gun (optional)



FITMENT GUIDE

MAKE	MODEL	YEAR RANGE FROM / TO
Vauxhall	Astra	2010>
Vauxhall	Insignia	2008>
Vauxhall	Meriva	2010>
Vauxhall	Mokka	2012>
Vauxhall	Adam	2013>
Vauxhall	Zafira Tourer	2012>
Vauxhall	Astra	1991-2005
Vauxhall	Calibra	1990-1997
Vauxhall	Omega	1994-2003
Vauxhall	Vectra	1995-2002
Vauxhall	Zafira	1999>
Vauxhall	Mervia	2003-2010
Vauxhall	Corsa	1993-2006
Vauxhall	Tigra	1994-2000
Vauxhall	Vivaro	2001>

All VIBE products carry a full 12 month warranty, valid from the date of the original receipt and proof of purchase (UK only). The online warranty card should be completed within seven days of the original purchase date. The original receipt and packaging should be retained for this twelve month period. If the product develops a problem at any stage during the warranty period, it should be returned to the point of purchase in its original packaging, and complete with no items missing.

A full description of VIBE's warranty information can be found on our website:

www.vibeaudio.co.uk

What Is Not Covered

- Damage to product due to improper installation.
- Subsequent damage to other components.
- Damage caused by exposure to moisture, excessive heat, chemical cleaners and / or UV radiation.
- Damage through negligence, misuse, accident or abuse. Repeated returns for the same fault may be considered abuse.
- Any cost or expense related to the removal and / or re-installation of the product.
- Damage caused by amplifier clipping or distortion.
- Items repaired or modified by any unauthorised repair facility.
- Return shipping on non defective items.
- Products returned without a returns authorisation number.
- Damage to product due to use of sealant.

International Warranty

Contact your international VIBE dealer or distributor concerning specific procedure for your country's warranty policies. www.vibeaudio.co.uk

